

# WARNINGS - MUZZLELOADER

Pellets are extremely flammable. Failure to follow warnings and instructions for use, or misuse of this product in any way, may cause personal injury or death to the user or bystander, as well as damage to the firearm and other property. Use Pellets only in strict accordance with loading instructions.

Do not take Pellets or Preformed Charges internally.

Do not contaminate Pellets or Preformed Charges with dirt or moisture.

Keep Pellets and Preformed Charges in original, closed box until used. Do not place Pellets or Preformed Charges loose in clothing. Be sure box is closed while shooting. Only store Pellets or Preformed Charges in original container.

Pellets and Preformed Charges are intended to be used in place of granular powder. Do not combine Pellets or Preformed Charges with loose powder. Do not combine Pellets or Preformed Charges of different caliber sizes.

Do not ignite Pellet or Preformed Charge in hand or outside of firearm.

Do not break, cut or modify Pellet or Preformed Charge by any means.

Triple Seven and Pyrodex Pellets, and White Hots Preformed Charges are designed for use only in newly manufactured muzzleloading, in-line rifles of 50-caliber and 54-caliber. Triple Seven and Pyrodex Pellets are also available for 45-caliber.

Use Triple Seven and White Hots only in a 209 primer ignition system. Pyrodex may be used with standard cap, musket cap or 209 primer ignition systems. Use only the correct caliber Pellet or Preformed Charge designated for the given caliber rifle. They are designed to be used with sabot bullets or conicals together with a fiber wad. Any other use of the Pellets and Preformed

Charges is not recommended. Triple Seven Pellets and White Hots Preformed Charges are not for use in cartridges, or with patched round ball. Pyrodex Pellets may be used in cartridges.

Pistol Pellets are designed and intended for use only in newly manufactured modern replica 44 and 45 caliber cap and ball revolvers. They may also be used in 45 caliber in-line rifles. Any other use of the Pistol Pellet is not recommended.

Failure to load muzzleloading firearm in strict accordance with instructions may cause personal injury or death to the user or bystander, as well as damage to the firearm.

Use of Triple Seven Pellets, Pyrodex Pellets, and White Hots Preformed Charges in sidelock muzzleloading rifles, in flintlock muzzleloading rifles, using a patched round ball, or the use of conical lead bullets without a fiber wad is NOT recommended. Due to variations in the size and type of flash channels of such rifles, as well as different rifle bore diameters, and conical bullet sizes, hangfires (a delayed ignition of the propellant) or an improper gas seal of the projectile may occur. These conditions could cause the projectile or a burning Pellet to exit the barrel in a hazardous manner, which could cause personal injury or death to the user or bystander, as well as damage to the firearm.

Never load and fire a Pellet or Preformed Charge without a projectile in the barrel, sealed on the Pellet or Preformed Charge. To do so may cause a burning Pellet or Preformed Charge to exit the barrel causing personal injury or property damage to the user or bystander.

When loading any projectile, be certain the projectile fits the bore snugly and forms a proper gas seal. Make sure projectile is seated all the way down the bore on top of the propellant. Failure to do so may result in decreased performance, poor accuracy or the possibility of a burning Pellet or Preformed Charge particle exiting the barrel, which may cause personal injury or property damage to the user or bystander.

Never exceed the loads listed in this information or on the packaging label.

Some manufacturers may recommend the use of more Pellets and Preformed Charges in their rifles and pistols which exceed the number shown by Hodgdon and IMR. Hodgdon and IMR specifically disclaims any and all liability arising out of the use of any data that exceeds our data, and the user assumes all risk in doing so. If there is a question concerning the firearm maximum load, please contact the firearm manufacturer for guidance. The maximum load per shot should never exceed:

Pyrodex Pellets (Rifle)	Maximum Two (2) Pellets
Triple Seven	Maximum Two (2) Pellets
Triple Seven Magnums	Maximum Two (2) Pellets
Triple Seven Firestar	Maximum Three (3) Pellets
IMR White Hots	Maximum Three (3) Pellets
Pyrodex Pellets (Pistol)	Maximum One (1) Pellet

Each Pyrodex Pellet contains a black ignitor on one end. When loading the Pellet, for best ignition, place the black ignitor end of the Pellet into the barrel first. No orientation is necessary for Triple Seven Pellets and White Hots Preformed Charges.

Before loading place gun on safety as per firearm manufacturer's instructions.

Be certain that firearm is unloaded and that the barrel and flash channel are clean, dry and free of oil or lubricant. Place muzzle away from body and insert the correct number of Pellets or Preformed Charges into the gun muzzle. Do not pound on ramrod or seat projectile with excessive force so as to crush Pellet. However, be certain that no air space exists between the projectile and Pellet. If an air space exists, the projectile becomes an obstruction in the barrel, which upon firing the gun, may cause personal injury or death to the user or bystander as well as damage to the firearm.